



## DRESTER BOXER COMBO BY HEDSON

### Drester Boxer Combo

With the Drester Boxer Combo gun cleaners it's possible for both solvent-based and water-borne cleaning. Drester Boxer combo cleaning offers **three models**, a compact-size unit and two full-size units.

- Suitable for solvent-based and water-based cleaning
- Automatic agitation when flocculating
- Compact or full-size models

### The Drester Boxer Combo is available in three models:

- Drester Boxer Double Combo
- Drester Boxer Triple Combo
- Drester Boxer Quattro Combo



### USER FRIENDLY

Foot-operated pumps, for hands-free operation and to reduce the solvent consumption. The gun cleaner is also equipped with air pressure regulator and water trap for durability. The specifically designed spray nozzles gives an optimal wash power



### AUTOMATIC

Equipped with an Auto box – a compact, effective and flexible washing compartment with integrated fluid channels, which makes less-cluttered space and the power of the pump results in more efficient cleaning, meaning that less clean solvent is needed per gun. The Auto box is located at the back of the unit, allowing a spacious manual washing sink at the front. At the same time as a gun is being cleaned automatically in the Auto box, manual cleaning is available, with a flow-through brush and a clean rinse nozzle



### PATENTED

All Drester Boxer by Hedson gun cleaners are featured with a patented magnetic gun holder which simplifies the cleaning and use of the gun cleaner. The magnetic gun holder pulls the trigger to open the paint channel and fixates a gun in seconds, in one simple step. It fixates the gun in a position where the gun's air channels are protected, facing downwards, so there is no risk of solvent entering the air channels

|                             |                                      |
|-----------------------------|--------------------------------------|
| Drester Boxer Double Combo  | Part.no. DI22C (stainless steel)     |
| Shipment dimensions (DI22C) | 1 pcs on pallet, 760*900 mm, 78 kg   |
| Drester Boxer Double Combo  | Part.no. DB22C                       |
| Shipment dimensions (DB22C) | 1 pcs on pallet, 760*900 mm, 81 kg   |
| Drester Boxer Triple Combo  | Part.no. DI33C (stainless steel)     |
| Shipment dimensions (DI33C) | 1 pcs on pallet, 1250*760 mm, 107 kg |
| Drester Boxer Triple Combo  | Part.no. DB33C                       |
| Shipment dimensions (DB33C) | 1 pcs on pallet, 1250*760 mm, 108 kg |
| Drester Boxer Quattro Combo | Part.no. DI44C (stainless steel)     |
| Shipment dimensions (DI44C) | 1 pcs on pallet, 1250*760 mm, 124 kg |
| Drester Boxer Quattro Combo | Part.no. DB44C                       |
| Shipment dimensions (DB44C) | 1 pcs on pallet, 1250*760 mm, 125 kg |

#### **DRESTER BOXER DOUBLE COMBO**

|                       |   |
|-----------------------|---|
| Weight                | 65 kg (140 lb)  |
| Compressed air needed | 7–12 bar (110–180 psi) 250 l/min (9 cfm)                            |
| Ventilation capacity  | 144-360 m <sup>3</sup> /h (85-212 cfm) -> 0,2-0,5 m/s (0,7-1,6 fps) |
| Height                | 1510 mm (59,5")   |
| Width                 | 835 mm (33,0")  |
| Max depth             | 650 mm (25,5")  |
| Depth at the floor    | 610 mm (24,0")  |
| Extractor diameter    | 80 mm (3,15")   |

#### **DRESTER BOXER TRIPLE COMBO**

|                       |  |
|-----------------------|--|
| Weight                | 95 kg (210 lb)   |
| Compressed air needed | 7–12 bar (110–180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660) |
| Ventilation capacity  | 160-400 m <sup>3</sup> /h (94-235 cfm) -> 0,2-0,5 m/s (0,7-1,6 fps)                      |
| Height                | 1510 mm (59,5")  |
| Width                 | 1185 mm (46,7")  |
| Max depth             | 650 mm (25,5")   |
| Depth at the floor    | 610 mm (24,0")   |
| Extractor diameter    | 125 mm (5")  |

#### **DRESTER BOXER QUATTRO COMBO**

|                       |  |
|-----------------------|--|
| Weight                | 105 kg (230 lb)  |
| Compressed air needed | 7–12 bar (110–180 psi) 250 l/min (9 cfm) (450 l/min (16 cfm) with DRESTER AIRVENT 11660) |
| Ventilation capacity  | 240-600 m <sup>3</sup> /h (141-353 cfm) -> 0,2-0,5 m/s (0,7-1,6 fps)                     |
| Height                | 1510 mm (59,5")  |

|                    |                 |
|--------------------|-----------------|
| Width              | 1185 mm (46,7") |
| Max depth          | 650 mm (25,5")  |
| Depth at the floor | 610 mm (24,0")  |
| Extractor diameter | 125 mm (5")     |

---

## CONSUMABLES

### AQUASOLVE

Better cleaning performance, now with a new formula  
Part.no. 230120

### FILTERS GUN CLEANERS

Filters for better cleaning performance  
Part.no. R8701

### FLOCCULATION POWDER GUN CLEANERS

Efficient cleaning of the  
waste water  
Part.no. R9211